

	Type	L #	Hits	Search Text	DBs
1	BRS	L1	0	basol near bluent.in.	US- PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TD B
2	BRS	L2	150	basol near bulent.in.	US- PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TD B
3	BRS	L3	5113	(conductive near member) near15 (electrode)	US- PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TD B
4	BRS	L4	11	(conductive near member) near15 (electrode) near15 (workpiece)	US- PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TD B

	Type	L #	Hits	Search Text	DBs
5	BRS	L6	3	(remov\$3 near5 conductive) near15 (electrode) near15 (voltage) near15 (workpiece)	US- PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TD B
6	BRS	L7	10	(remov\$3) near5.(metal) near15 (electrode) near15 (voltage) near15 (workpiece)	US- PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TD B
7	BRS	L8	133	(remov\$3) near15 (electrode) near15 (voltage) near15 (workpiece)	US- PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TD B
8	BRS	L5	157	(conductive) near15 (electrode) near15 (voltage) near15 (workpiece)	US- PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TD B

	U	1	Document ID	Title
1			US 20030064278 A1	Separator of fuel cell and method for producing same
2			US 6514400 B1	Method for producing a fuel cell separator
3			US 6410178 B1	Separator of fuel cell and method for producing same
4			US 5837957 A	Electric discharge machining apparatus
5			US 5435880 A	Plasma processing apparatus
6			US 5164568 A	Nozzle for a plasma arc torch having an angled inner surface to facilitate and control arc ignition
7			US 5063278 A	Method and apparatus for supplying electric power to resistance welding gun
8			US 4430165 A	Laser-activated electrodepositing method and apparatus
9			US 4136006 A	Electrode for electrochemical machining
10			JP 2002178299 A	ELECTRIC DISCHARGE MACHINING METHOD AND ITS DEVICE
11	X		EP 496733 B	Plasma arc torch with reduced breakdown potential for arc initiation - in which ionisable gas flows through space between electrode and nozzle at end of torch